

Installation instructions interior components 25 cm, 35 cm and 53 cm round diffuser (no ceiling)

Version: 2025-03



Contents

Step 1 – Attach the brush seal	4
Step 2 – Fit the ceiling diffuser onto the tube	4
Step 3 – Fix the ceiling diffuser	5
The installation is complete.....	5

Foreword

Safety

- Always observe the safety instructions for the materials and tools to be used.
- Always wear the appropriate personal protective equipment (gloves, safety goggles etc.).
- We would suggest that any roof works is completed by an experienced roofer.
- Always have any electrical works carried out by a certified electrician.
- Please note that the installation works is carried out at your own risk.

Warranty

- Non-electrical components are covered by a 10 year manufacturer's warranty against any manufacturing defects.
- Please retain the original proof of purchase to validate the product warranty.
- Any costs associated to the installation of any replacement parts covered under the warranty remain at the expense of the purchaser.
- Our terms and conditions are available upon request.

Disclaimer


Techcomlight Limited expressly disclaims any liability for any unexpected additional expense arising as a result of condensation or any water damage resulting from condensation, installation not in accordance with Techcomlight Limited's installation guide/s or any other external influences beyond the control of Techcomlight Limited. Techcomlight Limited cannot be held liable for damage to structures caused as a result of making openings and installing the product supplied. Techcomlight assumes no responsibility or obligation for the failure of an architect, contractor, installer or building owner to comply with all applicable laws, ordinances, building codes, energy codes, fire and safety codes and requirements, and adequate safety measures.

Installation instructions reserved. No rights can be derived from this publication.

Step 1 – Attach the brush seal


For the Eco version, fit the clear insulation lens over the top of the internal tube and tape it into place around the outside of the tube with the aluminium tape provided.

If required, stick the brush seal to the top of the inner edge of the ceiling diffuser (in most cases this has already been done).




Step 2 – Fit the ceiling diffuser onto the tube

Slide the tube into the ceiling diffuser, or vice versa: slide the ceiling plate onto the tube (if the tube has already been installed down through the roof):




Step 3 – Fix the ceiling diffuser

Screw the ceiling diffuser to the extension tube with the screws supplied through the pre-defined fixing holes.



The diffuser is often already supplied pre-attached. The complete system is designed to be installed down through the roof flashing from above with the diffuser pre-attached (as shown below). If required, a Forex dress ring is available for finishing around the system at the underside of the roof.



The installation is complete.